Index

References to information in tables are cited with a (t) and within brackets [] if the table runs for more than one page; references to information in figures are cited with an (f).

| A | Age fertility, 158-159 |
|---|---|
| Abstinence, 26(t), 27, 225-226, 499-505 advantages and disadvantages, 501-504 | at marriage, 40 oral contraceptives, 309, 320 progestin-only contraceptives, 352 |
| barriers to, 499-500 during STI treatment, 148 | Agglutination test see Pregnancy tests |
| effectiveness, 501 | AIDS, 74 see also HIV |
| effects on fertility, 246 instructions, 505 | AIDS-related complex, 81 |
| periodic, 473 postpartum, 26, 262, 276(t), 281, 502-504 | Alcohol use and infertility, 165 |
| premarital, 503-504 sexual response, 225 Abortifacients in traditional practices, 29-30 | Amenorrhea, 168 oral contraceptives, 327 progestin-only contraceptives, 350 |
| Abortion, 548-559 | Anaerobic bacteria, 127(t) |
| in adolescence, 61-62, 64 birth spacing, impact on, 42 bleeding, 554-555 clinician's role, 558 | Anemia in adolescent pregnancy, 59, 60 IUD, 412-413 |
| complications, 549-550 | Anesthesia in female sterilization, 525-527 |
| decreasing risks of, 8-9 incomplete, 550-553 | Anorgasmia, 227-228 |
| infection, 553-554 infertility, 170-171 mortality, 9 uterine and cervical injuries, 555 | Anticonvulsants and oral contraceptives, 296, 326 and progestin-only contraceptives, 353, 361 |
| Abortion, illegal, 171, 548 | Azoospermia, 178 |
| see also Abortion | AZT see Zidovudine |
| Abortion, induced see Abortion | |
| Abortion, spontaneous, 165, 189, 190, 206-207 see also Abortion | |
| Acne and oral contraceptives, 327 | В |
| Acquired Immunodeficiency Syndrome see AIDS; HIV | Barriers, vaginal see Vaginal barriers |
| Adenomyosis, 190 | Basal body temperature method, 472, 483, 484(f) |
| Adnexal mass, 194 | Behavior change, 567, 568(t) |
| Adolescence, 47-70 definition, 48 female education, 55-56 fertility, 47, 51, 52(f), 55-57, [66-67(t)], | Benzalkonium chloride, 444 see also Vaginal spermicides |
| 68-69, 70(t) reproductive health policies, 62-67 sexual activity, 49-51 | Birth defects age of sperm or egg, 478 oral contraceptives, 334, 337 |
| Adolescent pregnancy complications, 59-62 | Birth order, 12 |
| rates, 52(t) risk of illness, 60 school policies, 64 social consequences, 58 unintended, 53 | Birth spacing, 10, 36, 40-41 and abortion, 42 benefits of, 266 and breastfeeding, 41 |
| African sleeping sickness and infertility, 163 | Births, premarital, 51, 53 |

| Bleeding in pregnancy, 203 IUDs, 412 oral contraceptives, 322, 327 post-abortion, 9, 554-555 risk of HIV transmission, 90 | Cancer see also Breast cancer; Endometrial cancer; Ovarian cancer; Uterus, cancer cervical, 169 genital, 134 oral contraceptives, 245, 336-337 |
|--|---|
| Blood pregnancy test see Pregnancy tests, blood | Carbohydrate metabolism and oral contraceptives, 306 |
| Blood transfusion and HIV, 77, 98-99 | Candida albicans, 131(t), 452 |
| Bone density and Depo-Provera, 354 | Cardiovascular disease |
| BRAIDED contraceptive method mnemonic, 509-510, 564 | hormone replacement therapy, 193 oral contraceptives, 245, 305 |
| Breast cancer | Castration, 29 |
| Depo-Provera, 375 hormone replacement therapy, 193 | Cephalo-pelvic disproportion, 61 |
| oral contraceptives, 306-307 | Cervical cap, 88, 459-461 |
| Breast cysts, 300 | Cervical mucus method, 473, 484-485 |
| Breast engorgement, 271(t) | Cervix see also Cancer |
| Breast leaking, 272(t) | dysplasia, 162 ectopia, 305 |
| Breast soreness, 271(t) | infection, 161, 168 trauma, 59 |
| Breast tenderness | Cesarean section, 525 |
| oral contraceptives, 328 progestin-only contraceptives, 353, 369 | Chancroid, 120(t) |
| Breastfeeding, 26 | Chlamydia/Chlamydia trachomatis, 119, 161-162, |
| breast milk, 266 complications, 270, [271-273(t)] contraception, 280-285 demographics, 263(t) family planning, 285-287 | clinical management, 121(t), 126(t), 127(t) epidemiology, 132 oral contraceptives, 305, 328 transmission in pregnancy, 136, 137(t) |
| fertility awareness method, 282, 475 health benefits, 265-267 | Chloasma, 200, 328-329 |
| herbal stimulation, 30 and HIV, 93-94, 267-268 | Chlorhexidine, 92 |
| lactation physiology, 262-265 menstruation, 263 | Chloroquine, 556 |
| and mortality, 36 nutrition, 268-269 | Circumcision, female, 29, 57-58, 166 HIV transmission, 90-91 |
| oral contraceptives, 320, 328, 351, 352, 379 postpartum non-susceptibility, 40, 41 prevalence, 262 | Clinic-based services, 595-598 see also Family planning services |
| progestin-only contraceptives, 283-284, 351, 379 | Clothing and infertility, 166 |
| and sexual response, 224 socioeconomic status, 262 WHO-UNICEF recommendations on HIV risk, 268 | Coitus interruptus, 24, 491-496 advantages and disadvantages, 493-494 attitudes, 492 effectiveness, 492-493 HIV transmission, 87 instructions, 495-496 postpartum contraception, 276(t) sexual response, 225 |
| Calendar rhythm method, 472, 481-482 | Combined oral contraceptives see Oral contraceptives |
| Calymmatobacterium granulomatis, 124(t) | Commercial retail sales, 598(t), 599 see also Family planning services |
| | J 1 0 |

| Community-based services, 597(t), 598-599 see also Family planning services | D |
|--|--|
| Condyloma acuminata, 122(t) | D&C, 170 |
| Confidentiality, 104 | Delivery, premature, 59 |
| Contraception see also specific contraceptive method listings access in adolescence, 65 back-up, 296, 331, 370, 384 for breastfeeding women, [276-279(t)], 280-285 cost, 256 efficacy, 237-244 essentials, 235-258 failure, [239-240(t)] future technologies, 667-670 and HIV, 83-88 male attitudes, 257 for nonbreastfeeding women, 275-280 noncontraceptive benefits, 9, 249, [252-253(t)], 348-349 personal considerations, 251-258 postabortion, 556-557 postpartum, 275-280 precautions, 247-247 reasons for non-use 254(t) reproductive life span, 253, 256(t) risks, [252-253(t)] safety, 244-248 and sexual function, 223-226 side effects, 247, [252-253(t)] and STIs, 145-146 traditional practices, 23-34 Contraceptives demand for, 18(t) effects on fertility, 246 future technology, 667-670 inventory control, 621-623 knowledge and use, 53 managing supplies, 620-626, 650, 652-654 quality control 651-656 disposal, 658 visual inspection, 652-654, 655-656 resupply visits, 648 | Depo-Provera, 342 see also Breastfeeding; Progestin-only contraceptives advantages and disadvantages, 350, 354, 361-362 allergic reaction, 377 effectiveness, 346-347 instructions for use, 377-378 mechanism of action, 345 in menopause, 193 problems and followup, 376-377 provision of, 374-376 risk of HIV transmission, 86 Depression and oral contraceptives, 329 Desogestrel see Progestins Diaphragms, 455-459 risk of HIV transmission, 88 protection from STIs, 145, 146(t), 450 sexual response, 225 Dilation and curettage, 170 Discrimination and women, ix-xii, 13 Disseminated intravascular coagulopathy, 554-555 DMPA see Depo-Provera Donovanosis, 124(t) Douching, 195 Dysmenorrhea, 190 Dyspareunia, 229-230 |
| safety, 6(t) storage, 623-626 | Eclampsia, 60 |
| traditional plants, 29-30 use of, 14, 236 | Ectopic pregnancy, 194, 203-205 after sterilization, 529-530 |
| Corpus luteum, 188 | complication of STI, 134 |
| Counseling, 148, 561-570 HIV, 102-107 postpartum, 288, 289(t) pregnancy, 213-214 principles, 565-567 safe sex, 98 | diagnosis, 205 and IUDs, 393 and oral contraceptives, 301 risk, 204(t), 349 uterine cramping, 190 Education see Patient education |
| Cramping see Uterus, cramping | Ejaculation premature, 231 |
| Culdocentesis, 205 | delay, 234 |
| Curettage, sharp, 550-551 | Electrocoagulation, 512 |

| Emergency contraceptives in breastfeeding, 284-285 IUDs, 391 oral contraceptives, 301-302 Endometrial biopsy, 177 Endometrial cancer, 190 oral contraceptives, 300 | Female see also Female condoms; Female sterilization infertility, 178-179 role models, 13 sexual dysfunction, 226-231 sexual response, 221-225 schooling, 55-56 Female condoms, 455, 669 |
|--|--|
| Endometriosis, 172, 190 oral contraceptives, 301 | Female genital mutilation see Circumcision, female |
| Endometrium, 188 atrophic, 374 | Female sterilization see also Sterilization advantages and disadvantages, 513-514 |
| Erective difficulty see Impotence | anesthesia, 525-527 complications, 527-530 |
| Ergonovine, 556 | effectiveness, 512 |
| Estrogen, 185, 187 in breastfeeding, 284 deficiency, 301 hormone replacement therapy, 193 and menopause, 191 oral contraceptives, 323-324 | instructions, 531-532 interval, techniques, 515-523 laparoscopy, 519-523, 529 minilaparotomy, 515-518, 523-524, 528-529 occlusion techniques, 512, 518, 521, 524 postabortion, 525 postpartum, 510-511, 523-525 |
| Ethinyl estradiol, 297-298 | Fertility, 155-157 |
| Exertion and infertility, 166 | see also Adolescence changes in 43-45 determinants, 37, 40-43 effects of age, 158 |
| <u>F</u> | effects on contraception, 246 female education, 55 methods of decreasing, 26-29 |
| Family life education, 63-64 | and nutrition, 43 Fertility assessment schedule, 174(t) |
| Family planning, 1-18 see also Breastfeeding; Contraception benefits, 2, 9-13 decisions and recommendations, 30-34 demographics, 236 family size, 31 methods, [16-17(t)] unmet needs, 53, 54(t) use of modern methods, 54(t) voluntary, 44 | Fertility awareness methods, 282, 471-489 advantages and disadvantages, 476-477 barriers to, 474 effectiveness, 475 in postpartum contraception, 277(t) instructions, 481-489 mechanism of action, 474 precautions, 478-479 protection from STI, 146(t) risk of HIV transmission, 88 |
| Family planning services access criteria, 594 | service provision, 479-481 types, 472-473 |
| complaint procedures, 656-657 cultural barriers, 607-608 diagnosis of STI, 118 | Fertility rates, 2-3 and breastfeeding, 262 |
| evaluation, 658-659, [660-664(t)] financing and fees, 600-603 | Fertilization, 188, 189-190 |
| impact on clients, [579-592(t)] | Fibroadenoma and oral contraceptives, 300 |
| information management, 626-632 management, 611-638 | Fibroid tumors, 190 |
| obstacles to, 604-609 policies and procedures, [576-578(t)] | Filariasis, 162 |
| quality assurance and control, 640-664 | Filshie clip, 518, 521 |
| record keeping, 647-648 service delivery, 593-609 | Fimbriectomy, 524 |
| staff selection and training, 613-615 staff supervision, 615-619 | Follicle-stimulating hormone (FSH), 185, 187 and menopause, 191 |
| Fear and sexual response, 224 | · · · · · · · · · |

| Follicular phase, 187 | Hemorrhage see Bleeding |
|--|--|
| Followup (patient), 648-649 | Hepatitis B/Hepatitis B virus, 119 |
| FSH see Follicle-stimulating hormone | clinical management, 124(t) transmission in pregnancy, 136, 137(t) |
| | Hepatocellular adenomas, 306 |
| G | Herpes genitalis, 125(t) |
| | Herpes simplex virus, 119 |
| Gallbladder disease and oral contraceptives, 306 | clinical management, 125(t) transmission in pregnancy, 136, 137(t) |
| Gamete intrafallopian tube transfer (GIFT), 179 | HIV, 74-111, 119 |
| Gardnerella vaginalis, 120(t) | see also Breastfeeding; HIV tests; HIV-2 accidental exposure, 107-111 |
| GATHER communication mnemonic, 561-562 | antibodies, 99 asymptomatic period, 80 |
| Genital mutilation, 29 | and contraception, 83-88 |
| see also Circumcision, female | and contraceptive methods, 84(t) diagnosis in infants, 268 |
| Genital ulcer disease, 133 | education, 94-99 fertility in adolescent females, 59 |
| Genital warts, 122(t), 162 | mortality, 37 progression to AIDS, 78, 80-82 |
| Gestodene see Progestins | post-exposure prophylaxis, 109-110 |
| GIFT, 179 | in pregnancy and childbirth, 91-92 prevalence, 75-78 |
| Ginseng, 193 | prevention, 83, 95-99, 107 primary infection, 78 |
| Gonadotropin-releasing hormone, 264 | risk reduction, 95, 96(t) |
| Gonorrhea/Neisseria gonorrhoea, 119, 161 in adolescent females, 59 clinical management, 123(t), 127(t) effects on fertility rate, 42-43 new cases, 132 transmission in pregnancy, 136, 137(t) | transmission, 74, 89-91, 103 and IUDs, 392-393 in pregnancy, 136, 137(t) in STIs, 135 trends, 75-78 treatment, 81-82 |
| Gram-negative rods, 127(t) | HIV counseling, 102-107 |
| Granuloma inguinale, 124(t) | HIV screening see HIV tests |
| H | HIV tests, 99-100 infants, 100 limitations, 100 post-test counseling, 105-107 pre-test counseling, 102-105 regulations, 104 |
| Hansen's disease and infertility, 163 | HIV-1 see HIV |
| HBV see Hepatitis B Virus | HIV-2, 74, 78, 79(t) |
| hCG, 207 | Hookworm, 164 |
| Headache, 305, 329 and progestin-only contraceptives, 368-369 | Hormone replacement therapy, 193 |
| Health care workers | Hot flashes, 191 |
| risk of HIV transmission, 109 safety and HIV, 107-111 | HPV see Human papillomavirus |
| Health service delivery | HSV see Herpes simplex virus |
| see Family planning services | HSV-2 see Herpes simplex virus |
| Heat and infertility, 166 | Hulka clip, 524 |
| Hemoglobin, 412-413 | Human chorionic gonadotropin, 207 |
| Hemophilus ducreyi, 120(t) | Human immunodeficiency virus see HIV |

| Human papillomavirus, 119, 162 clinical management, 122(t) transmission in pregnancy 136, 137(t) | effectiveness, 390-391 effects on fertility, 246 expulsion, 393, 416 |
|--|---|
| Hydatidiform pregnancy, 207 | future technologies, 670 and HIV, 85 |
| Hypertension, 7 | hormonal, 283-284 insertion and removal, 403-411 |
| Hypothalamus, 185 | instructions for use, 425-426 |
| Hysterectomy, 523 | LNg-20, 283-284, 390, 391, 401 mechanisms of action, 390 |
| <u>I</u> | multiload, 391, 400-401 and nulliparity, 406 patient education, 389 perforation, 421-422 postpartum insertion, 278(t), 282, 408-410 pregnancy, 419-420 |
| Immunization and HIV, 101(t) | problems, 412-424 |
| Implantation, 189 | Progestasert system, 401 prophylactic antibiotics, 408 |
| Impotence, 178, 232-234 | and protection from STI, 146(t) ring, 401 |
| In vitro fertilization, 179 | selection, 403 string problems, 417-419 |
| Infant feeding, artificial, 93 | types, 400-402, 402(f) |
| Infant survival | IUD see Intrauterine devices |
| and HIV, 94 mortality, 5, 7(t) by source of milk, 265(f), 266 | IVF, 179 |
| Infertility, 153-180 categories, 156(t) causes, 28-29, 154, 157-166 | J |
| coping, 180 definition, 154 diagnosis, 157(t) | Job description, 613 |
| epidemiology, 154-155 evaluation, 171-177 female, 178-179 male, 178 | К |
| postpartum, 264 prevention, 167-171 STIs, 161-162 therapy, 177-179 tubal, 133 | Kwashiorkor, 269 |
| Infibulation see Circumcision, female | L |
| Information management, 626-632 data collection, 628-629, 633-638 reports, 630-632 | Lactation, see Breastfeeding |
| Informed consent, 511 | Lactational amenorrhea, 202, 264-265 |
| Intercourse and infertility, 159-160 | Lactational amenorrhea method (LAM), 31, 270-271, 274, 276(t), 280 |
| Intermediate sensitivity tube tests see Pregnancy tests, urine | LAM see Lactational amenorrhea method |
| Intrauterine devices (IUDs), 387-426 advantages and disadvantages, 391-393, | Laparoscopy, 177, 519-523 complications, 529 |
| [394-399(t)] | Lead and infertility, 165 |
| anesthesia, 410-411 barriers to use, 387-389 | Leiomyomata, 207 |
| breastfeeding, 282 copper, 282, 390, 391, [394-399(t)], 400, 401, 402 | see also Uterus, cramping Leprosy and infertility, 163 |

| Levonorgestrel, 167, 324, 343-344 see also Intrauterine devices, LNg-20; | Mammary duct, plugged, 272(t) |
|--|---|
| Norplant; Progestin-only contraceptives; | Marasmus, 269 |
| Progestins | Marriage, early, 49, 65 |
| LGV (Lymphogranuloma venereum), 126(t) | Mastalgia, 328 |
| LH see Luteinizing hormone | Mastitis, 272(t) |
| Libido, 305, 330 | Maternal age, 6-7, 11 |
| Life expectancy, 35 | Maternal-child STI transmission |
| Lipids and oral contraceptives, 323 | see Mother-child STI transmission |
| LNg IUD see Intrauterine devices | Mechanical barriers see Female condoms; Male condoms; Vaginal barriers |
| Low birthweight, 59 | Medroxyprogesterone acetate, 193 |
| Luteal phase, 188 | Menfegol, 86-87, 444 |
| Luteinizing hormone, 185, 187, 264 | see also Vaginal spermicides |
| menopause, 191 | Menopause, 191, 193 |
| Lymphogranuloma venereum (LGV), 126(t) | Menstrual cycle, 185-195 irregular, 202 phases, 187-188 regulation, 185, 186(f) |
| | Menstruation, 185 |
| Malaria and infertility, 162, 164 | abnormal bleeding, 191, 192(t) effects of progestin-only contraceptives, 368, 377 |
| Male, see also Male condoms; Male sterilization attitudes toward contraception, 257 | and IUD, 393 |
| contraceptive technology, 670 infertility, 178 | Mestranol, 297 |
| sexual dysfunction, 226-227, 231-234 sexual response, 223 | Milk (breast) supply inadequate, 273(t) and oral contraceptives, 307 |
| Male condoms, 83, 85, 429-441 advantages and disadvantages, 434-437 barriers to use, 430 | Minilaparotomy, suprapubic, 515-518, 523-524, 528-529 |
| breakage, 434 counseling and education, 430 effectiveness, 433 effects on fertility, 169, 246 instructions for use, 440-441 mechanism of action, 432 myths and facts, 431(t) protection from STIs, 145, 146(t), 148 provision and distribution, 437-439 sexual response, 225 | Minipills, 342, see also Breastfeeding; Progestin-only contraceptives advantages, 351 disadvantages, 362 effectiveness, 347 instructions for use, 381-383 mechanism of action, 345 problems and followup, 381 provision of, 380-381 |
| Male genital mutilation, 29 | Molar pregnancy, 207 |
| Male partners and HIV testing, 96-98 | Moniliasis, 273(t) |
| Male sterilization, 533-540 advantages and disadvantages, 533-534 | Morbidity, maternal, 4-5 |
| complications, 537-538 effectiveness, 533 instructions, 539-540 no-scalpel technique, 537, 538(f) occlusion techniques, 535-536 providing services, 535 reversal, 540-541, 542-543 | Mortality causes, 9, 10, 36-37 contraceptive-related, 5 infant and child, 5, 7(t), 10, 11(t) maternal, 3-4, 9 rates, 2-3 |
| vasectomy, 535-540 | Mother-child STI transmission, 77, 136-138, 267 prevention of HIV in infants, 91-92 |

Mumps and infertility, 163 androgenic effects, 322-323 barriers to use, 296-297 Mycoplasma hominis, 162 clinical considerations, 321-323 clinical management, 120(t), 127(t) cost, 321 dosage, 321 drug interactions, 325-327 effect on fertility, 246 N effect on infants, 283, 285 effectiveness, 298-299 frequently asked questions, 336-337 infertility, 168-169 Natural family planning see Fertility awareness methods instructions for use, 331-335 mechanism of action, 297-298 Nausea and oral contraceptives, 330 precautions [312-319(t)] protection from STI, 146 Neisseria gonorrhoea provision of, 307-308 see Gonorrhea/Neisseria gonorrhoea risk of HIV transmission, 86 selection of, 309, [310-311(f)], 321 sexual response, 224 NET-EN see Norethindrone enanthate side effects, 322-323, 327-331 Nipple trauma, 272(t) Oral contraceptives, combined Nipples, flat or inverted, 273(t) see Oral contraceptives Nonoxynol-9, 86-87, 444, 449, 452, 461 Oral contraceptives, triphasic, 325 see also Vaginal spermicides Norethindrone enanthate (NET-EN), 374, 380 Orchitis, 163 Osteoporosis, 193 Norgestimate see Progestins Ovarian cancer, 194, 300 Norplant see also Breastfeeding; Progestin-only contraceptives Ovarian cyst, 194-195 advantages, 342, 350 disadvantages, 354, 361 Ovarian follicles, 187 effectiveness, 346 insertion and removal, 363-367 Ovulation, 188 instructions for use, 370-373 postpartum period, 264 mechanism of action, 343-345 Oxytocin, 264 problems and followup, 368-370 side effects, 369(t) suitability test, 370 Nulliparity, 167, 406 Nutrition and fertility, 43 Pain and infertility, 164 intercourse, 229-230 women and infant, 268-269 and IUDs, 414-415 PID, 134 Parasitic diseases and infertility, 162-163 Parkland technique, 512, 518, 524 Partner notification of STI, 144 Obesity, 164 Patient education, 561-570 Octoxynol, 444 HIV prevention, 95-98 see also Vaginal spermicides materials, 569 pregnancy, 213-214 principles, 562-565 Oocyte, 187, 189 Ophthalmia, 136, 138 Patient history, 173-174 Opportunistic infections and HIV, 81 Pearl Index, 242 Oral contraceptives, 295-337 Pelvic adhesions, 161 see also Breastfeeding advantages and disadvantages, 190, 299-307

| Pelvic inflammatory disease (PID) clinical management, [127-128(t)] complication of STI, 133 fertility in adolescence, 59 fertility, 42 IUD, 85, 392, 422-424 | Pregnancy tests, 207-212 blood, 210 priority testing, 211-212 test interpretation, 212 urine, 201, 202, 210 |
|--|---|
| oral contraceptives, 301 risk, 167 | Priapism, 164 |
| uterine cramping, 190 | Primary infertility, 154 |
| Personnel manual, 614 | Problem solving, 619 |
| Pessaries, 28 | Progestasert IUD, 283, 401 see also Intrauterine devices; Progestin-only |
| Pesticides and infertility, 165 | contraceptives |
| Physical assessment, 173-177 | Progesterone, 185 |
| PID see Pelvic Inflammatory disease | Progestin-only contraceptives, 341-384 |
| Placenta, 189 | see also Breastfeeding; Depo-Provera; Intrauterine devices; Minipills; Norplant |
| PLISSIT counseling model, 220 | administration, 344(t) advantages and disadvantages, 348-362 |
| Pomeroy technique, 512, 518, 524 | barriers to use, 342-343 effectiveness, 346-347 |
| Population trends, 36-39 | mechanism of action, 343-345 |
| Postcoital contraception see Emergency contraception | postpartum contraception, 278(t) reversibility, 349 |
| Postcoital test, 176 | Program evaluation 658 650 [660 664(t)] |
| Postpartum non-susceptibility, 40-41 see also Lactational amenorrhea | Program evaluation, 658-659, [660-664(t)] Prolactin, 264 |
| Postpartum period see also Lactational amenorrhea abstinence, 262 bleeding, 202 contraception, 275-280 infection, 164 | Prostitution, 29 |
| Postpartum physiology, 262-265 | Quality assurance 640 664 |
| Precautions, contraceptive, 247-248 see also Advantages and disadvantages under specific contraceptive method listings | Quality assurance, 640-664 of contraceptives, 651 guidelines, 643, 645 service assessment, 641-642 |
| Pregnancy see also Adolescent pregnancy; | Quinacrine, 522 |
| Ectopic pregnancy; Pregnancy tests | Quinine, 556 |
| benefits of prevention, 11-12 clinical evaluation, 199-207 complications, 202-205 diagnosis, 197-214 effect on fertility, 246 | R |
| high-risk, 8 HIV, 91-92 | Defended of say postners 144 |
| IUD, 393, 419-420 oral contraceptives, 330 | Referral of sex partners, 144 |
| patient education and counseling, 213-214 physical signs and symptoms, 200-201 | Reproductive health see Sexual physiology |
| sexual response, 224 | Reproductive health services, 649 |
| STI, 136-138 wastage, 154 | Reproductive life plan, 15, 18 |
| Pregnancy, adolescent see Adolescent pregnancy | Reproductive life span, 253, 256(t) |
| Pregnancy, ectopic see Ectopic pregnancy | Research methodology in contraception studies, 242 |
| | |

| Retrovir see Zidovudine | Smoking, 165, 320 |
|---|---|
| Rifampin, 296, 325 | Sperm antibodies, 169, 534 |
| Rural settings | Spermicides see Vaginal spermicides |
| breastfeeding, 262 early childbearing, 48 | Spinnbarkeit, 188, 202 |
| family planning services, 604, 606 use of traditional practices, 24 | Spontaneous abortion see Abortion, spontaneous |
| use of traditional practices, 24 | Spotting see Bleeding |
| | Spring clip, 518 |
| S | Staff morale, 644-645 |
| | Staff selection and training, 613-615 |
| Safer sex effects on sexual function, 223-226 methods, 96(t), 97-98 | Sterilization, 169-170, 507-543 see also Female sterilization; Male sterilization |
| Schistosomiasis and infertility, 162 | barriers to use, 508-509 counseling, 509-511 |
| Secondary infertility, 154 | effect on fertility, 246 legal issues, 543 |
| Semen, 175, 176(t) | reversal, 540-543 |
| Semen removal, 28 | risk of HIV transmission, 88 |
| Seminal fluid and HIV virus, 494 | STI (Sexually transmitted infections), 117-148 causes, 119 |
| Sensitive urine pregnancy test see Pregnancy tests, urine | clinical management, [120-131(t)], 146-148 complications, 133-134 contraception, 145-146, 249, 354 |
| Sepsis, 9 | curability, 119 diagnosis and treatment, 138-144, 147 |
| Seroconversion in HIV IUD and risk, 85 prophylaxis, 109 | drug dosage, 143, 147 drug selection criteria, 142 education, 118, 145 epidemiology and trends, 132-133 |
| Sexual activity in adolescence, 49-50 influence on contraceptive use, 257 and mortality, 36 risks, 58-59, 135-136 and socializing agents, 50-51 | fertility, 42-43 infertility, 58-59, 117-118, 161-162 mortality, 37 multiple sexual partners, 161 pregnancy, 136-138 prevention (condoms), 434-435 |
| Sexual dysfunction, 226-234 | prevention services, 144-145 risk factors, 134-136 |
| Sexual history, 218-219 | risk of HIV transmission, 89-90 screening, 167 |
| Sexual physiology, 220-234 dysfunction, 226-234 effects of contraception, 223-226 | sequelae, 117 treatment, 138-144 |
| Sexual response | Subfertility, 154 |
| female, 221-223 and infection, 224 loss of desire, 226-227 male, 223 stages, 222(t) | Suppositories, vaginal, 28 Symptothermal method, 473, 486-488 Natural Family Planning Chart, 487-488, 489(f) |
| Sexually transmitted infections see STI | Syndromic approach to STI diagnosis, 138-144, 147 |
| Sickle cell disease, 164 | Syphilis |
| Silastic ring, 518, 521 | in adolescent females, 59 clinical management, [129-130(t)] |
| Sims-Huhner test, 176 | congenital, 136 |
| Slide pregnancy test see Pregnancy tests, urine | epidemiology, 132 fertility rate, 42 prenatal screening, 138 |

•

| Testicular atrophy, 163 | Vacuum aspiration, 550-551 |
|---|---|
| Testicular inflammation, 163 | Vaginal barriers, 443-467, |
| Thrombosis and oral contraceptives, 322 | see also Cervical cap; Contraceptive sponge; Diaphragms; Female Condoms; |
| Thrush, 273(t) | Vaginal spermicides |
| Toxemia, 59 | advantages and disadvantages, 448-453 and breastfeeding, 281 |
| | effectiveness, 445-448 |
| Toxic shock syndrome, 452, 463 | future technology, 669 instructions for use, 448(t), 462-467 |
| Toxoplasmosis, 163 | mechanism of action, 444 obstacles to use, 443-444 |
| Traditional contraceptive practices, 23-34 | postpartum contraception, 277(t) |
| percentage of use, 24, 25(t) safety, 32 | precautions, 453 |
| use in urban/rural settings, 24 | problems, 462 providing, 453-461 |
| Treponema pallidum, 119 | selection, 446-447 |
| clinical management, 129(t) | and sexual response, 225 |
| transmission in pregnancy, 136, 137(t) | STI, 449-450 |
| Trichomoniasis/Trichomonas vaginalis, 119 | toxic shock syndrome, 452 use with vaginal spermicide, 446 |
| clinical management, 130(t) | • . |
| epidemiology, 132 | Vaginal discharge, 195 |
| Trophoblastic disease, 207 | algorithms for treatment, 141(f) |
| _ • | Vaginal hygiene, 195 |
| Trypanosomiasis, 163 | Vaginal irritation, 450, 451 |
| Tubal disease, 161-162 | risk of HIV transmission, 90 |
| Tubal ligation see Contraception; Sterilization | Vaginal odor, 195 |
| Tuberculosis, 163-164 | Vaginal spermicides, 28(t), 443-467 |
| Twin pregnancy, 207 | see also Vaginal barriers HIV, 450-451 |
| | protection from STI, 145, 146(t) |
| | providing, 453-454 risk of HIV transmission, 86-87 |
| U | side effects, 452 |
| | use with vaginal barriers, 446 |
| Universal precautions for infection | Vaginismus, 230-231 |
| control, 107-108 | Vaginosis, 120(t) |
| Urban settings breastfeeding, 262 | Vasectomy see Male sterilization |
| early childbearing, 48 | Vertical STI transmission |
| family planning services, 606-607 | see Mother-child STI transmission |
| prevalence of HIV-2, 79(t) use of traditional practices, 24 | Vescovaginal fistula, 61 |
| Urinary tract infection (UTI), 452 | Vision disturbances and oral contraceptives, 329 |
| Uterus | Voluntary family planning, 44 |
| bicornate, 207 | Voluntary surgical contraception see Sterilization |
| cancer, 191, 193 cramping, 190, 414-415 | |
| p.116, 100, 111 110 | Vulvovaginal candidiasis, 131(t) |

W

Weight change oral contraceptives, 330-331 progestin-only contraceptives, 353 Withdrawal see Coitus Interruptus Women and safe sex, 97-98, 435 Workplace exposure to HIV, 109 World Health Organization (WHO), 268, 374

Z

ZDV see Zidovudine
Zidovudine
effect on mother-child HIV transmission,
91-92
in HIV exposure prophylaxis, 109
Zona pellucida, 189



You may order copies of the following publications (subject to availability) by placing the number of copies you wish to order in the spaces to the left of the publication name.

| Family Planning Methods and Practice: Africa | |
|--|--|
| Family Planning Logistics Guidelines | |
| <i>Guías Logísticas Para Programas de Planificación Familiar</i> [Spanish version of Logistics Guidelines] | |
| <i>Directives de Logistique pour la Planification</i> Familiale [French version of Logistics Guidelines] | |
| Pocket Guide to Managing Contraceptive Supplies | |
| PLEASE PROVIDE THE FOLLOWING INFORMATION: ur name: | |
| | |
| le: | |
| titution: | |
| iling address: | |
| | |
| untry: | |
| Phone number: | |
| FAX number: | |
| nail address: | |
| | |

SEE OTHER SIDE FOR ORDERING ADDRESS



PLEASE SEND YOUR ORDERING INFORMATION TO:

Assistant Director for Health Policy and Communications Division of Reproductive Health Centers for Disease Control and Prevention (CDC) Attn: Family Planning Methods and Practice: Africa 4770 Buford Highway, N.E., Mail Stop K-20 Atlanta, GA 30341-3717 USA

Phone: (770) 488-5372 (automated information)

(770) 488-5200 (general information)

FAX: (770) 488-5374 e-mail: ccdinfo@cdc.gov

Web address: www.cdc.gov/nccdphp/drh